

Mean/Mode Metadata :

Disaggregation Results for Prob = 4.0E-4 (for IML = 0.10234155)

Mbar = 7.9961495

Dbar = 21.13103

Ebar = 0.8220465

7.75 Mmode < 8.25

10.0 Dmode < 20.0

0.5 < Emode <= 1.0

Disaggregation Plot Parameters Info :

Site: s603;

Run: ID: 3883, Site_ID: 331, ERF_ID: 36, SGT Var ID: 8, Rup Var Scen ID: 6, Vel Model ID: 5,

SGT Time: 2015-04-17 06:49:40, SGT Host: titan, PP Time: 2015-04-18 01:58:42, PP Host:

bluewaters;

Velocity Model: 5. CVM-S4.26 (4.26);

SA Period: 7.5;

Hazard_Curve_ID: 20428;

Disaggregation Bin Data :

Dist Mag E-2 -2<E-1 -1<E-0.5 -0.5>E0 0<E0.5 0.5<E1 1<E2 2>E

Dist	Mag	E-2	-2<E-1	-1<E-0.5	-0.5>E0	0<E0.5	0.5<E1	1<E2	2>E	
005.00	5.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
005.00	5.50	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
005.00	6.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
005.00	6.50	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
005.00	7.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
005.00	7.50	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
005.00	8.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
005.00	8.50	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
005.00	9.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
005.00	9.50	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
015.00	5.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
015.00	5.50	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
015.00	6.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
015.00	6.50	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
015.00	7.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
015.00	7.50	00.00	00.00	00.00	00.00	00.00	00.00	00.44	00.08	00.52
015.00	8.00	00.00	00.00	00.00	01.38	10.42	22.45	20.16	00.06	54.47
015.00	8.50	00.00	00.00	00.19	02.77	02.17	00.00	00.00	00.00	05.13

105.00	6.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
105.00	6.50	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
105.00	7.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
105.00	7.50	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
105.00	8.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
105.00	8.50	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
105.00	9.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00
105.00	9.50	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00	00.00

Disaggregation Source List Info:

Source#	% Contribution	TotExceedRate	SourceName	DistRup	DistX	DistSeis	DistJB
000085	27.50	1.1082277E-4	S. San Andreas;PK+CH+CC+BB+NM+SM	23.87	18.03	24.05	23.87
000086	14.37	5.791227E-5	S. San Andreas;PK+CH+CC+BB+NM+SM+NSB	19.76	19.76	19.99	19.76
000112	10.22	4.1181294E-5	San Jacinto;SBV+SJV+A+C	14.69	14.69	15.00	14.69
000064	06.51	2.6242853E-5	S. San Andreas;CH+CC+BB+NM+SM	23.65	18.62	23.84	23.65
000094	05.16	2.0782552E-5	S. San Andreas;SM+NSB+SSB+BG+CO	19.76	-19.76	20.36	19.76
000089	03.92	1.5786161E-5	S. San Andreas;PK+CH+CC+BB+NM+SM+NSB+SSB+BG+CO	19.76	-19.76	20.21	19.76
000087	03.27	1.3163525E-5	S. San Andreas;PK+CH+CC+BB+NM+SM+NSB+SSB	19.76	19.76	19.99	19.76
000128	02.98	1.1994626E-5	S. San Andreas	19.76	-19.76	20.21	19.76
000055	01.97	7.931223E-6	S. San Andreas;CC+BB+NM+SM	23.89	19.75	24.08	23.89
000057	01.88	7.5830962E-6	S. San Andreas;CC+BB+NM+SM+NSB+SSB	19.76	-19.76	19.99	19.76
000088	01.70	6.8560385E-6	S. San Andreas;PK+CH+CC+BB+NM+SM+NSB+SSB+BG	19.76	-19.76	20.22	19.76
000066	01.66	6.7093333E-6	S. San Andreas;CH+CC+BB+NM+SM+NSB+SSB	19.76	19.76	19.99	19.76
000056	01.53	6.149241E-6	S. San Andreas;CC+BB+NM+SM+NSB	19.76	19.76	19.99	19.76
000115	01.35	5.4513985E-6	San Jacinto;SBV+SJV+A+CC+B+SM	14.69	14.69	15.00	14.69
000111	01.27	5.136876E-6	San Jacinto;SBV+SJV+A	14.69	14.69	15.00	14.69
000049	01.26	5.075817E-6	S. San Andreas;BB+NM+SM+NSB+SSB+BG+CO	19.76	-19.76	20.27	19.76
000075	01.25	5.035652E-6	S. San Andreas;NM+SM+NSB+SSB+BG+CO	19.76	-19.76	20.32	19.76
000093	01.22	4.9154783E-6	S. San Andreas;SM+NSB+SSB+BG	19.76	-19.76	20.73	19.76
000058	01.09	4.4087046E-6	S. San Andreas;CC+BB+NM+SM+NSB+SSB+BG	19.76	-19.76	20.50	19.76
000079	00.94	3.77421E-6	S. San Andreas;NSB+SSB+BG+CO	19.76	-19.76	20.55	19.76
000114	00.89	3.570219E-6	San Jacinto;SBV+SJV+A+CC+B	14.69	14.69	15.00	14.69
000099	00.69	2.7826757E-6	San Jacinto;A+C	45.92	-02.03	46.01	45.92
000045	00.69	2.7809526E-6	S. San Andreas;BB+NM+SM	23.88	20.92	24.07	23.88
000074	00.68	2.7355063E-6	S. San Andreas;NM+SM+NSB+SSB+BG	19.76	-19.76	20.65	19.76

000073 00.67 2.6885575E-6 S. San Andreas;NM+SM+NSB+SSB 19.77 19.76 19.99 19.77
000047 00.60 2.4356523E-6 S. San Andreas;BB+NM+SM+NSB+SSB 19.76 -19.76 19.99 19.76
000092 00.59 2.3869516E-6 S. San Andreas;SM+NSB+SSB 19.76 19.76 19.99 19.76
000113 00.55 2.2233576E-6 San Jacinto;SBV+SJV+A+CC 14.69 14.69 15.00 14.69
000051 00.45 1.8020913E-6 S. San Andreas;BG+CO 70.07 -19.22 70.45 70.07
000091 00.36 1.4471836E-6 S. San Andreas;SM+NSB 19.76 19.76 19.99 19.76
000059 00.34 1.3855025E-6 S. San Andreas;CC+BB+NM+SM+NSB+SSB+BG+CO 19.76 -19.76
20.23 19.76
000118 00.34 1.3641966E-6 San Jacinto;SJV+A+C 29.27 08.29 29.42 29.27
000121 00.31 1.2369468E-6 San Jacinto;SJV+A+CC+B+SM 29.53 -09.19 29.69 29.53
000010 00.28 1.1168818E-6 Elsinore;GI+T+J+CM 30.80 27.68 30.86 29.14
000071 00.25 9.886209E-7 S. San Andreas;NM+SM 24.01 20.63 24.20 24.01
000120 00.18 7.1243863E-7 San Jacinto;SJV+A+CC+B 29.27 10.46 29.42 29.27
000078 00.17 6.9645284E-7 S. San Andreas;NSB+SSB+BG 19.76 -19.76 21.11 19.76
000117 00.16 6.453465E-7 San Jacinto;SJV+A 29.57 -09.21 29.72 29.57
000097 00.14 5.66888E-7 S. San Andreas;SSB+BG+CO 29.89 -18.49 30.51 29.89
000072 00.13 5.423339E-7 S. San Andreas;NM+SM+NSB 19.77 19.76 19.99 19.77
000090 00.12 4.635629E-7 S. San Andreas;SM 23.59 20.28 23.78 23.59
000119 00.08 3.1946158E-7 San Jacinto;SJV+A+CC 29.27 10.44 29.42 29.27
000020 00.08 3.1201049E-7 Elsinore;W+GI+T+J+CM 29.26 29.43 29.27 26.63
000077 00.06 2.4775278E-7 S. San Andreas;NSB+SSB 19.76 -19.76 19.99 19.76
000102 00.04 1.4889092E-7 San Jacinto;A+CC+B+SM 46.05 05.27 46.15 46.05
000019 00.02 9.9773544E-8 Elsinore;W+GI+T+J 29.27 29.42 29.29 26.66
000068 00.02 9.338096E-8 S. San Andreas;CH+CC+BB+NM+SM+NSB+SSB+BG+CO 19.76 -19.76
20.20 19.76
000067 00.02 7.611202E-8 S. San Andreas;CH+CC+BB+NM+SM+NSB+SSB+BG 19.76 -19.76 20.46
19.76
000009 00.02 6.682409E-8 Elsinore;GI+T+J 30.80 27.16 30.88 29.39
000101 00.02 6.4234776E-8 San Jacinto;A+CC+B 46.05 06.73 46.15 46.05
000065 00.02 6.192505E-8 S. San Andreas;CH+CC+BB+NM+SM+NSB 19.76 19.76 19.99 19.76
000048 00.01 3.5830023E-8 S. San Andreas;BB+NM+SM+NSB+SSB+BG 19.76 -19.76 20.57 19.76
000100 00.01 2.0703283E-8 San Jacinto;A+CC 46.05 06.53 46.15 46.05
000046 00.00 1.2600832E-8 S. San Andreas;BB+NM+SM+NSB 19.76 19.76 19.99 19.76
000018 00.00 6.21084E-9 Elsinore;W+GI+T 29.26 29.43 29.27 27.01
000098 00.00 3.9199026E-9 San Jacinto;A 46.05 03.91 46.15 46.05
000124 00.00 6.629047E-11 Elsinore 29.28 29.43 29.29 26.55
000063 00.00 3.8660807E-11 S. San Andreas;CH+CC+BB+NM 111.18 -05.34 111.22 111.18
000006 00.00 0.0 Elsinore;CM 167.40 47.52 167.40 166.80
000007 00.00 0.0 Elsinore;GI 30.84 -27.76 30.98 30.84
000008 00.00 0.0 Elsinore;GI+T 30.84 -25.64 30.98 30.84
000011 00.00 0.0 Elsinore;J 98.03 45.17 98.03 96.84
000012 00.00 0.0 Elsinore;J+CM 97.42 48.69 97.42 96.17

000013 00.00 0.0 Elsinore;T 50.10 26.43 50.19 50.10
000014 00.00 0.0 Elsinore;T+J 50.38 30.86 50.42 49.36
000015 00.00 0.0 Elsinore;T+J+CM 50.44 32.45 50.46 49.22
000016 00.00 0.0 Elsinore;W 28.43 29.42 28.43 23.24
000017 00.00 0.0 Elsinore;W+GI 29.10 29.42 29.10 26.02
000021 00.00 0.0 Garlock;GC 138.62 138.62 138.65 138.62
000022 00.00 0.0 Garlock;GC+GW 130.14 -130.14 130.17 130.14
000023 00.00 0.0 Garlock;GE 176.82 164.19 176.85 176.82
000024 00.00 0.0 Garlock;GE+GC 138.65 -138.65 138.68 138.65
000025 00.00 0.0 Garlock;GE+GC+GW 130.13 -130.13 130.16 130.13
000026 00.00 0.0 Garlock;GW 130.12 130.12 130.15 130.12
000043 00.00 0.0 S. San Andreas;BB 146.47 28.38 146.50 146.47
000044 00.00 0.0 S. San Andreas;BB+NM 110.67 28.36 110.71 110.67
000050 00.00 0.0 S. San Andreas;BG 69.70 -03.19 70.03 69.70
000052 00.00 0.0 S. San Andreas;CC 194.86 -63.05 194.88 194.86
000053 00.00 0.0 S. San Andreas;CC+BB 146.50 -08.67 146.53 146.50
000054 00.00 0.0 S. San Andreas;CC+BB+NM 110.69 08.19 110.73 110.69
000061 00.00 0.0 S. San Andreas;CH+CC 194.38 -74.25 194.40 194.38
000062 00.00 0.0 S. San Andreas;CH+CC+BB 146.98 -27.18 147.01 146.98
000069 00.00 0.0 S. San Andreas;CO 124.12 51.79 124.16 124.12
000070 00.00 0.0 S. San Andreas;NM 110.92 27.30 110.96 110.92
000076 00.00 0.0 S. San Andreas;NSB 19.76 19.76 19.99 19.76
000082 00.00 0.0 S. San Andreas;PK+CH+CC 194.81 -76.16 194.83 194.81
000083 00.00 0.0 S. San Andreas;PK+CH+CC+BB 146.72 29.47 146.75 146.72
000084 00.00 0.0 S. San Andreas;PK+CH+CC+BB+NM 110.64 -09.38 110.68 110.64
000095 00.00 0.0 S. San Andreas;SSB 29.50 17.52 29.65 29.50
000096 00.00 0.0 S. San Andreas;SSB+BG 29.55 -15.05 30.56 29.55
000103 00.00 0.0 San Jacinto;B 158.55 02.99 158.58 158.55
000104 00.00 0.0 San Jacinto;B+SM 158.55 -13.64 158.58 158.55
000105 00.00 0.0 San Jacinto;C 116.63 -10.02 116.67 116.63
000106 00.00 0.0 San Jacinto;CC 115.82 04.23 115.86 115.82
000107 00.00 0.0 San Jacinto;CC+B 115.92 -03.96 115.95 115.92
000108 00.00 0.0 San Jacinto;CC+B+SM 116.19 03.05 116.23 116.19
000109 00.00 0.0 San Jacinto;SBV 14.69 14.69 15.00 14.69
000110 00.00 0.0 San Jacinto;SBV+SJV 14.69 14.69 15.00 14.69
000116 00.00 0.0 San Jacinto;SJV 29.27 10.40 29.42 29.27
000122 00.00 0.0 San Jacinto;SM 191.93 -43.64 191.95 191.93